




designed for today



CLT 77



REMOTE
SUPPORT
INTERFACE



- The lift includes all necessary mounting support needed.
- The new CLT 77 TV lift has 1500 mm of travel. This means it is suitable for LED/LCD/plasma screens that have an overall height of approximately 900mm (allowing 30mm for clearances and thickness of cabinet top).
- It is therefore suitable for up to 77 inches TV's, subject to weight and provided the TV overall height without its stand and the clearances you require for your project / construction
- This is particularly useful when used with larger screens allowing installation in more compact cabinets. In these instances, the stroke of the lift can also be adjusted to limit the stroke height as the lift has both adjustable lower and upper limit switches enabling you to set the lower and upper start / stop points to suit your installation.
- The lift includes a manual switch to operate it and a Radio Frequency (RF) remote control that allows easy control of the lift, no line of sight between remote and receiver is required and the working range of this remote is up to 15m.
- The CLT 77 TV lift is capable of raising an LED, LCD or Plasma screen of up to 40 kgs. this includes the instantaneous load applied to the lift at the point of opening the lid of a cabinet. Its maximum travel is 2490mm. (Consider the overall height of your screens and add allowance for thickness of cabinet lid etc when deciding if you need a lift with a longer stroke).



designed for today

Tono Systems LLP

EMAIL: contactus@tonosystems.com
www.tonosystems.com